

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/698,106	10/31/2003	Karla M. Robotti	10030204-1	8960	
7590 08/23/2006			EXAMINER		
AGILENT TECHNOLOGIES, INC. Legal Department, DL429			BRADLEY, 0	BRADLEY, CHRISTINA	
Intellectual Property Administration			ART UNIT	PAPER NUMBER	
P.O. Box 7599			1654	1654	
Loveland, CO 80537-0599			DATE MAILED: 08/23/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)				
Office Action Summary		10/698,106	ROBOTTI, KARLA M.				
		Examiner	Art Unit				
		Christina Bradley	1654				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
2a)⊠	Since this application is in condition for allowar	action is non-final. nce except for formal matters, pro		merits is			
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
 4) Claim(s) 1-4 and 6-21 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-4 and 6-21 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 							
Applicati	on Papers						
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 							
Priority u	nder 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
Attachment	• •	_					
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	4) Interview Summary (Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te	-152)			

Art Unit: 1654

DETAILED ACTION

1. Claims 1-4 and 5-21 are pending.

Claim Rejections - 35 USC § 103

- 2. Applicant's arguments with respect to claims 1-4 and 6-21 have been considered but are most in view of the new ground(s) of rejection.
- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 4 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou et al. (Nat. Biotech., 2001, 19, 375-378) in view of Mercader et al. (Anal. Biochem., 2002, 308, 269-277). Zhou et al. teach a method to purify phosphorylated peptides from a complex mixture of phosphorylated and unphosphorylated peptides and other molecules comprising the following steps: 1) protection of the peptide amino groups with t-butyl-dicarbonate (tBoc); 2) carbodiimide-catalyzed condensation of the peptide and an amine to form amide and phosphoramidate bonds at the carboxylate and phosphate bonds of the peptide, respectively; 3) regeneration of the phosphates by brief acid hydrolysis; 4) carbodiimide-catalyzed condensation of cystamine and the regenerated phosphate, and reduction of the internal disulfide of cystamine to generate a free sulfhydryl for every phosphate group of the peptide; 5) solid-phase capture of the phosphopeptides by reaction of the sulfhydryl groups with iodoacetyl groups immobilized on glass beads; and 6) cleavage of phosphoramidate bonds with trifluoroacetic acid to regenerate the phosphates (see Figure 1).

Art Unit: 1654

The method taught by Zhou et al. is similar to the method of claim 1. Step 2 of Zhou et al. is equivalent to step a of claim 1 with the exception that Zhou et al. does not teach that the amine can be attached to a solid support, i.e. the first resin described in step a. Step 3 of Zhou et al. is equivalent to step b of claim 1. The TFA treatment used by Zhou et al. in step 3 achieves the same outcome as step b of claim 1: selective cleavage of the amine from the phosphate groups. Step 4 of Zhou et al. is equivalent to step c of claim 1. Here the cystamine of Zhou et al. functions as the capture ligand of claim 1, step c. Step 5 of Zhou et al. is equivalent to step d of claim 1. The reaction of the sulfhydryl groups with iodoacetyl groups attached to glass beads in step 5 of Zhou et al. accomplishes the same outcome as claim 1, step d: the separation of peptides bound to the capture ligand from peptides that are not bound to the capture ligand.

Page 3

- 6. Step 1 of Zhou et al. meets the additional limitation described in claim 4: the protection of the peptide amine groups before the reaction with the first resin. Step 3 of Zou et al. meets the additional limitation of claim 6: the TFA used in step 2 of Zhou et al. is a weak acid
- As stated above, Zhou et al. do not teach that the amine in step 2 is attached to a resin.

 Mercader et al. teach beads with reactive amino groups, Dynabeads M-270 Amine, and the coupling of an aliphatic carboxylate groups to said beads using a carbodiimide (see page 271). It would have been obvious to one of ordinary skill in the art to substitute the Dynabeads M-270 Amine taught by Mercader et al. for the amine in step 2 of Zhou et al. In doing so, one would meet all of the limitation of claims 1 and 5; the reaction in step 2 of Zhou et al. would involve a resin, wherein the resin is a bead, making it equivalent to claim 1, step a, and would comprise a primary amine as in claim 5. The skilled artisan would have been motivated to make this substitution given that the attachment of the amine in step 2 of Zhou to a magnetic bead would

permit the physical separation of the coupled peptides from the rest of the mixture and would permit extensive washing of the sample to further remove impurities without affecting the phosphopeptide (as performed in steps 5 and 6 in Zhou with the second resin). There would have been a reasonable expectation of success given that the chemical reaction required to couple the resin taught by Mercader *et al.* to the peptide (the carbodiimide-catalyzed condensation of an amine and carboxylic acid) is routinely employed in protein chemistry and solid phase peptide synthesis (see Zhou *et al.*), and that the amino group in the resin taught by Mercader *et al.* was shown to be coupled to another molecule. In addition, Dynabeads M-270 Amine and functionally equivalent products are commercially available. Thus, the invention as a whole was clearly *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

8. Claims 1- 3, 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou et al. (Nat. Biotech., 2001, 19, 375-378) as applied to claims 1, 4 and 6 above in further view of Holmes (USPN 5,679,773). Step 6 of Zhou et al. meets the additional limitation described in claim 3: the cleavage of the bond between the capture ligand and the phosphorylated peptides following separation from the unphosphorylated peptides in the preceding step. Zhou et al. do not teach that the amine of step 2 can be cleaved from the peptide prior to step 6 (i.e. that the first resin can be selectively cleaved before separating the peptides bound to the capture ligand as described in claim 2). Likewise, Zhou et al. do not teach that such cleavage can be photo-induced (claim 11) or that the first resin is photocleavable and has a plurality of groups represented by the structural formula in claim 12. Holmes teaches a photochemically-cleavable linking group identical to the formula in claim 12 (see column 14,

Art Unit: 1654

compound 8) attached to a solid support such as a resin (see column 14, lines 40-50). The resin can be "of any shape, although they preferably will be roughly spherical" (column 14, lines 51-52) and may consist of "material commonly used in peptide and polymer synthesis" such as "glass, latex, polyethylene glycol, heavily cross-linked polystyrene or similar polymers" (column 14, lines 64-67).

Page 5

9. It would have been obvious to one of ordinary skill in the art to combine the method for phosphopeptide purification taught by Zhou et al. and the photochemically-cleavable linker resin taught by Holmes. The photochemically-cleavable linker resin, wherein the resin is, for example, a polystyrene bead, would function as the first resin in claim 2, 3, 11 and 12. The skilled artisan would have been motivated to do so because Holmes teaches that the photochemically-cleavable linking group resin can be coupled via its amine to the carboxylic acid group of a peptide or amino acid (column 19, lines 10-19). In addition, the particular resin taught by Holmes is designed for highly-selective photoinduced cleavage (see abstract and Figure 2). By inducing such cleavage prior to step 6, unphosphorylated peptides can be isolated from the mixture. The light-induced cleavage would not interfere with the linkage between the second resin and the phosphopeptides. There would have been a reasonable expectation of success given that the chemical reaction required to couple the linker taught by Holmes to the peptide (the carbodiimide-catalyzed condensation of an amine and carboxylic acid) is routinely employed in protein chemistry and solid phase peptide synthesis. Thus, the invention as a whole was clearly prima facie obvious to one of ordinary skill in the art at the time the invention was made.

Art Unit: 1654

10. Claims 1, 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou *et al*. (*Nat. Biotech.*, **2001**, *19*, 375-378) and Holmes (USPN 5,679,773) as applied to claims 1-3, 11 and 12 above in further view of Fields *et al*. (*Proc. Natl. Acad. Sci.*, **1988**, *85*, 1384-1388). Zhou *et al*. do not teach that the amine of step 2 can be an amino acid coupled to a resin or that the amino acid can be isotopically labeled. Fields *et al*. teach the incorporation of an isotopically-labeled amino acid (Fmoc-1¹⁵Nlalanine) into a peptide by solid phase synthesis.

Page 6

- 11. It would have been obvious to one of ordinary skill in the art to couple the Fmoc[15N]alanine taught by Fields *et al.* to the photocleavable-linker resin taught by Holmes, and to
 combine it with the method for phosphopeptide enrichment taught by Zhou *et al.* The Fmoc[15N]alanine-photocleavable-linker-resin, following deprotection of the amine, would be used in
 place of the amine in step 2 of Zhou *et al.* and would function as the first resin described in
 claims 7-10. The skilled artisan would have been motivated to make this modification given that
 the method would result in the incorporation of an isotope label useful for downstream mass
 spectrometry or NMR applications (see Zhou *et al.* and Fields *et al.*). There would have been a
 reasonable expectation of success given that the chemical reaction required to couple the linker
 taught by Holmes to the Fmoc-[15N]alanine (the carbodiimide-catalyzed condensation of an
 amine and carboxylic acid) is routinely employed in protein chemistry and solid phase peptide
 synthesis (see Zhou *et al.* and Fields *et al.*). Thus, the invention as a whole was clearly *prima*facie obvious to one of ordinary skill in the art at the time the invention was made.
- 12. Claims 1, 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou et al. (Nat. Biotech., 2001, 19, 375-378), Holmes (USPN 5,679,773) and Fields et al. (Proc. Natl.

Art Unit: 1654

Acad. Sci., 1988, 85, 1384-1388) as applied to 1-3 and 7-12 above in further view of Mercader et al. (Anal. Biochem., 2002, 308, 269-277). Zhou et al. do not teach that the coupling and subsequent capture of the phosphate groups of steps 4-6 can be performed with an amino acid attached to a magnetic bead (i.e. that the capture ligand is a second resin and that the second resin is an amino acid attached to a magnetic bead). Mercader et al. teach the coupling of an aliphatic carboxylate group to Dynabeads M270 amine using a carbodiimide (see page 271). The Dynabeads are magnetic. Fields et al. teach Fmoc-protected amino acids and there use in solid phase peptide synthesis.

13. It would have been obvious to one of ordinary skill in the art to couple an Fmoc-amino acid (such as Fmoc-tryptophan) of Fields *et al.* to the Dynabeads by the method in Mercader *et al.* and, following deprotection of the amine, use it to react with the phosphate groups following step 3 of Zhou *et al.* In doing so, the amino acid would function as the capture ligand. Because it is coupled to a magnetic bead, the capture ligand would also be a second resin. All limitations of claims 13-16 would be met. One would have been motivated to make this modification because magnetic beads permit easy separation of a captured compound from a mixture as suggested by Mercader *et al.* There would have been a reasonable expectation of success given that given that the chemical reaction required to couple the amino acid and the phosphate groups of the phosphopeptides is the same as that used successfully in step 2 of Zhou *et al.* Thus, the invention as a whole was clearly *prima facie* obvious to one of ordinary skill in the art at the time the invention was made.

Application/Control Number: 10/698,106 Page 8

Art Unit: 1654

14. Claims 1, 17-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zhou et al. (Nat. Biotech., 2001, 19, 375-378) and Holmes (USPN 5,679,773) as applied to claims 1-3, 10 and 11 above in further view of Oda et al. (Nat. Biotech., 2001, 19, 379-382). Zhou et al. do not teach using a molecular recognition system to capture phosphopeptides. Oda et al. teach a method for enriching phosphorylated peptides from a complex mixture using the biotin-avidin interaction. The method of Oda et al. comprises converting the phosphate group in the peptides in several steps to biotin, and capturing the modified peptides with an avidin resin column (see Oda et al. Figure 1 and page 381, column 2).

15. It would have been obvious to one of ordinary skill in the art to replace steps 4-6 of Zhou et al. (including the modification from Holmes as described above) with the method taught by Oda et al. In doing so, the biotin would function as the capture ligand and the avidin resin would function as the affinity resin described in claims 18-21. The skilled artisan would have been motivated to make this modification given that Oda et al. use their method to enrich phosphopeptides from a complex mixture (the same purpose as the claimed method and the method in Zhou et al.), and that the biotin-avidin interaction has exceptionally high affinity and specificity. There would have been a reasonable expectation of success given that the methods taught by Oda et al. and Zhou et al. resulted in the purification of phosphopeptides from a complex mixture and that the use of the biotin-avidin molecular recognition system is ubiquitous in a variety of applications. Thus, the invention as a whole was clearly prima facie obvious to one of ordinary skill in the art at the time the invention was made.

Conclusion

16. No claims are allowed.

Art Unit: 1654

- 17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).
- 18. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.
- 19. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christina Bradley whose telephone number is (571) 272-9044. The examiner can normally be reached on Monday through Friday, 8:30 A.M. to 5:00 P.M.
- 20. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cecilia Tsang can be reached on (571) 272-0562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 21. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

Application/Control Number: 10/698,106 Page 10

Art Unit: 1654

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

cmb

Cecilia J. Tsang
Supervisory Patent Examiner
Technology Center 1600